

CALIKOWSKI, R.

Agate and quartz, two nonutilized Polish mineral raw materials. p. 111.

POMIARY, AUTOMATYKA, KONTROLA. (Naczelna Organizacja Techniczna)  
Warszawa, Poland. Vol. 5, No. 2, Mar. 1959

Monthly list of East European Accession (EEAL) LC, Vol. 8, No. 7, July 1959

Uncl.

CALIKOWSKI, R.

Shot for drilling and prospecting. p. 171.

PRZEGLAD GEOLOGICZNY. (Wydawnictwa Geologiczne)  
Warszawa, Poland. Vol. 7, No. 4, Apr. 1959

Monthly list of East European Accessions (EEAI) LC. Vol. 8, No. 7, July 1959

Uncl.

CALIKOWSKI, Roman

Testing the Polish SP-21 polishing machine for the preparation of polished sections. Przegl geol 9 no.6:318-319 Je '61.

1. Centralny Urzad Geologii.

(Poland—Grinding and polishing) (Poland—Geology)

CALIKOWSKI, Roman; MUSTER, Henryk

Preliminary studies on the boring susceptibility of rocks. Przegl  
geol 9 no.8:424-425 Ag '61.

1. Politechnika Warszawska.

CALIKOWSKI, Roman, dr., inż.

Contribution to the analysis of work and of the methods of  
computing metallic props. Przegl gorn 17 no.12:624-628 '61.

BALASIU, C.; BRUNNER, A.; CALIMAN, N.; CRISTIAN, A.; CSUTAK, I.;  
HUTTMAN, A.; SECEHREANU, I.V.

Study of rheumatic diseases in a factory of refractory products.  
Probl. reumat., Bucur. Vol. II.:103-115 1954.

(RHEUMATISM

in workers in a factory of refractory products)

(OCCUPATIONAL DISEASES

of workers making refractory products)

NICULESCU, M.; HUTTMANN, A.; STEFANESCU, C.R.; HENTU, V.;  
MESAROSIU, A.; CALIMAN, N.; DIMA, O.; DIMA, V.

Post-tonsillitis period. Probl. reumat., Bucur. Vol.II:151-160  
1954.

(TONSILLITIS, compl.  
rheum. dis.)

(RHEUMATIC HEART DISEASE, etiol. & pathogen. tonsillitis)  
(RHEUMATISM, etiol. & pathogen.  
tonsillitis)

L 33061-66 T DJ/WE

ACC NR: AP6024223

SOURCE CODE: RU/0007/65/016/010/0573/0575

AUTHOR: Calimanesu, N.—Kelimanesku, N.

ORG: none

TITLE: Ventilation and lighting in the oil extractive industry

SOURCE: Petrol si gaze, v. 16, no. 10, 1965, 573-575

TOPIC TAGS: petroleum industry, ventilation engineering, safety engineering

ABSTRACT: The author discusses the principal measures that should be taken to assure effective ventilation and lighting of the work areas in the oil extraction industry. Attention to ventilation is especially important in this industry, as dangerous explosions as well as damage to the health of the workers may result from even relatively slight accumulations of dangerous gases. [JPRS]

SUB CODE: 13 / SUM DATE: none

Light resistance of dyes. C. Callin and S. Rosenberg.  
*Industria textilă* (Bucharest) 7, 74-83(1956)(German sum-  
mary).—The photochem. discoloration of a variety of dyes  
is discussed in the light of their chem. structure. Dyes  
(29) are given as examples.  
Gary Gerard

2

✓ Factors affecting the light stability of dyed fabrics. S. 2  
Călin and I. Bazavan. *Industria Textilă* (Bucharest) 7, 1957  
181-5(1958)(German summary).—A discussion.  
Gary Gerard

CALIN, C.

CALIN, C. Problems concerning determination of the fastness of textile dyes. p. 1.

Vol. 8, no. 11, Nov. 1956

STANDARDIZAREA

TECHNOLOGY

Bucuresti, Rumania

So: East European Accession, Vol. 7, no. 3, March 1957

CALIN - C.

RUMANIA/Chemical Technology - Chemical Products and Their  
Application. Industrial Synthesis of Dyestuffs.

H-16

Abs Jour : Ref Zhur - Khimiya, No 8, 1958, 26131  
Author : Calin C.  
Inst :  
Title : Concerning the Uniformity of Dyestuffs.  
Orig Pub : Ind. textila, 1957, 8, No 2, 69-74.

Abstract : The usual methods of determining the uniformity of dye-stuffs (dusting test and fractionation dyeing) are considered and their flaws are pointed out. It is proposed to utilize chromatographic methods and particularly paper chromatography. A method has been worked out which is similar to chromatography on circular filters but utilizing rectangular pieces of paper. The method has been tested on mixtures of dyes: Chrysophenine with admixture of Brilliant Yellow and Acid Brilliant Red (aniline --> 1-acetylamino-8-naphthol-3,6-disulfonic acid)

Card 1/2

RUMANIA/Chemical Technology. Chemical Products and Their Applications. Dyeing and Chemical Treatment of Textile Fabrics. H

Abs Jour : Ref Zhur-Khimiya, No 6, 1959, 21942

Author : Calin, C., Bazavan, I.

Inst : -

Title : The Determination of the Color-Fastness of Dyes of Textile Materials.

Orig Pub : Ind. textila, 1958, 9, No 6, 228-230

Abstract : Results of the comparative determination of color-fastness of 50 dyes by two methods which were specified in project No 117 ISO are cited. Essential differences in the results of the evaluation are noted.  
-- K. Markuze

Card : 1/1

H-169

|            |   |                                                                                                                                                                                                                                                                                 |           |
|------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| COUNTRY    | : | Rumania                                                                                                                                                                                                                                                                         |           |
| CATEGORY   | : |                                                                                                                                                                                                                                                                                 | H-34      |
| ABS. JOUR. | : | REKHM., No. 21                                                                                                                                                                                                                                                                  | 1959, No. |
|            |   |                                                                                                                                                                                                                                                                                 | 77120     |
| BY         | : | Galen, C. and Scherzer, S.                                                                                                                                                                                                                                                      |           |
| DATE       | : | Not given                                                                                                                                                                                                                                                                       |           |
| TITLE      | : | Methods Used for the Determination of the Fastness of Dyeings (Theory and Practice)                                                                                                                                                                                             |           |
| ORIG. PUB. | : | Standardizarea, 10, No 10, 485-490 (1958)                                                                                                                                                                                                                                       |           |
| ABSTRACT   | : | A review article (existing methods, including the most recent methods, accepted by the international commission [sic]; the work of Soviet researchers: Terenin, Sadow, Bogoslovskiy; the need for a revision of existing Rumanian standards). The bibliography lists 26 titles. |           |

D. Kanter

CARD: 1/1

COUNTRY : ROMANIA  
 CATEGORY : Chemical Technology. Chemical Products and  
 Their Uses. Part 4. Dyeing and Chemical\*  
 ABS. JOUR. : RZKhim., No. 1 1960, No. 3328  
 AUTHOR : Galin, G.  
 INST. :  
 TITLE : On the Chemistry of Fading of Color

ORIG. PUB. : Ind. text. (RPR), 1959, 10, No 1, 20-22

ABSTRACT : Taking o-oxazo dyes as an example, it was  
 shown that the fading of color on fabrics  
 from cellulose fibers in the air under the  
 action of sun rays is accompanied by oxida-  
 tive hydroxylation of a dye, as a result of  
 which it acquires the ability to produce  
 copper complexes. Fading of colors on wool

\*Treatment of Textiles

CARD: 1/2

|            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                  |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| COUNTRY    | : Rumania                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | H-34             |
| CATEGORY   | :                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                  |
| ABS. JOUR. | : RZKhim., No. 5 1960, No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 20497            |
| AUTHOR     | : Calin, C., Rosenberg, S., and Dinca, V.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                  |
| INST.      | : Not given                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                  |
| TITLE      | : The Dyeing of Polyamide Fibers with Anion-type Dyes. Communication II. Direct Dyes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  |
| ORIG. PUB. | : Ind Text (RPR), 10, No 4, 148-152 (1959)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                  |
| ABSTRACT   | : Differences are shown in the behavior of direct dyes towards polyamide and cellulose fibers as well as differences in the action of individual dyes on polyamide fibers. Optimum dyeing conditions, percent selectivity, saturation limits, migration tendency [sic], and various fastness indices have been determined for a number of anion-type dyes on polyamide fibers. Difficulties in the dyeing of polyamide fibers with direct dyes and limitations to the use of dye mixtures are noted. For Communication I see RZhKhim, 1959, No 18, 66736. |                  |
| CARD:      | 1/1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 413 O. Golosenko |

CALIN, C., ing.

Reactive dyestuffs. Ind text Rum 12 no.8:325-329 Ag'61.

SURNAME, Given Names

Country: Rumania

*Calin, C.*

Academic Degrees:

Affiliation: -not giver.-

Source: Bucharest, Revista de Chimie, Vol 12, No 8, Aug 1961, pp 494-497.

Data: "Methods of Estimating the Dispersing Properties of the Surface  
Active Agents Used in Dying Textile Materials."

Authors:

CALIN, C., -Engineer.-

SUSZER, A., -Engineer.-

IONESCU, Elena, -Engineer.-

GPO 981643

SANIELEVICI, H.; SPILIADIS, A.; BADIC, E.; CALIN, G.; ROSENBERG, S.

Dyestuffs for synthetic fibers. Pt.1. Rev chimie Min petr  
13 no.7:411-420 J1 '62.

CALIN, G.; SANDULESCU, Valeria

Determination of sulfur dyestuffs by bisulfitation. Rev chimie  
Min petr 13 no.11:690-692 N '62.

1. Laboratorul central coloristic.

CALIN, C., ing.

Progress in the field of dyestuff application reported by  
the technical literature in 1962. Ind text Rum 14 no.12:  
580-586 D'63.

CALIN, G., ing.; SANDULESCU, Valeria, ing.

Some methods for indentifying dyes of unknown structure. Ind  
text Rum 15 no.10:531-534 O '64.

1. Ministry of the Petroleum and Chemical Industry.

L 64815-65 EWP(j) RM

ACCESSION NR: AP5023228

RU/0003/64/015/010/0611/0623

AUTHOR: Calin, C.<sup>11</sup>; Ionescu, Elena<sup>11</sup>

TITLE: Structure of acid dyes and their coloring action

SOURCE: Revista de chimie, v. <sup>15</sup>15, no. 10, 1964, 611-623

TOPIC TAGS: dye chemical

ABSTRACT:

A report on the work of the Central Dyeing Laboratory of the Rumanian People's Republic for determining the dyeing behavior of the acid dyes manufactured in Rumania in order to prescribe optimum application conditions. Some information is also given on the influence of the pH of the dyeing bath on the adherence of dyes to wool fibers and on resistance to wet treatment and migration, and some conclusions are drawn concerning the structure of acid dyes in general. Orig. art. has: 1 formula, 1 figure, 10 tables, 8 graphs.

ASSOCIATION: none

Card 1/2

L 64815-65

ACCESSION NR: AP5023228

SUBMITTED: 00

ENCL: 00

SUB CODE: GC

NR REF SOVI 000

OTHER: 018

JPRS

*MRP*  
Card 2/2

L 64813-65 EWP(j) RM

ACCESSION NR: AP5023229

RJ/0003/64/015/010/0624/0629

AUTHOR: Galin, C.; Sandulescu, Valeria

TITLE: Identification of some secondary dyes in the direct R black product (C.I. 30245)

SOURCE: Revista de chimie, v. 15, no. 10, 1964, 624-629

TOPIC TAGS: dye chemical

ABSTRACT: A study on the effect of "parasitic" secondary dyes which can be detected chromatographically. The authors show that the addition of up to 0.5 percent of the parasitic dyes does not change the resistance of the base dye, and that the addition of varying proportions of secondary dyes can be used to change the hue of the resulting color. (Orig. art. has: 27 formulas, 2 tables.

ASSOCIATION: none

SUBMITTED: 00

ENCL: 00

SUB CODE: 00

NR REF SOV: 000

OTHER: 09

JPRS

Card 1/1

CALIN, C., ing.; SANDULESCU, Valeria, ing.; TIBREA, Eugenia, ing.

A new method for determining the solubility of dyes. Ind  
text Rum 15 no.11:590-594 N '64.

1. Coloristic Central Laboratory of the Ministry of the  
Petroleum and Chemical Industry.

I. 33723-66

ACC NR: AP6025159

SOURCE CODE: RU/0012/65/061/004/0611/0615

AUTHOR: Menaide, I. (Doctor; Colonel); Calin, V. (Major; Doctor); Calin, E. (Doctor);  
Ionescu, P. (Doctor; Lieutenant colonel)

ORG: none

TITLE: Considerations on sprains of the knee joint in military environments

SOURCE: Revista sanitara militara, v. 61, no. 4, 1965, 611-615

TOPIC TAGS: skeletal mechanics, injury, military medicine

ABSTRACT: The authors analyze the cases of sprained knees treated during the last 6 years at their hospital. They find that knee injuries represent a relatively high proportion of the total number of injuries treated, that early treatment is most effective, and that the Hey-Groves-Smith method of treating ruptures of crossed ligaments, which they tried in a small number of cases, gives good to excellent results. /JPRS: 33,500/

SUB CODE: 06/ SUBM DATE: 22Jan65/ ORIG REF: 005/ OTH REF: 002

LS

Card 1/1

CALIN, G. ; POPOVICI, M.

Some data on linear stands of prestressing. p. 85.

REVISTA CONSTRUCTIILOR SI A MATERIALELOR DE CONSTRUCTII. (Asociatia Stiintifica a Inginerilor si Technicienilor din Rominia si Ministerul Constructiilor si al Materialelor de Constructii) Bucuresti, Rumania. Vol. 11, no. 2, Feb. 1959.

Monthly List of East European Accessions (EEAI) IC, Vol. 8, no. 7, July 1959

Uncl.

CALIN, G.  
SURNAME, Given Names

Country: Rumania

Academic Degrees: -Engineer-

Affiliation: -not given-

Source: Bucharest, Stiinta si Tehnica, Vol XIII, No 12, Dec 1961, pp 28-29.

Data: "Pipes from Pre-Compressed Concrete."

GPO 981643

CALIN L.

Contributions to the procedure of reducing the time for removing forms from monolithic industrial reinforced-concrete structures. p. 646.

Vol. 7, no. 284, June 1955  
CONSTRUCTORUL  
Bucuresti, Rumania

Source: East European Accession List. Library of Congress  
Vol. 5, No. 8, August 1956

CALIN, L.

Rumania/Chemical Technology. Chemical Products and Their Application -- Silicates.  
Glass. Ceramics. Binders, I-9

Abst Journal: Referat Zhur - Khimiya, No 2, 1957, 5332

Author: Calin, L.

Institution: None

Title: Current State of the Problem of Utilization of Blast Furnace Slag in  
the Making of Concrete

Original:  
Publications: Ind. constructiilor si mater. constr., 1956, 7, No 3, 175-180

Abstract: Description of the production of various building elements from con-  
crete made with blast furnace slag.

Card 1/1

CRUSOS, G., ing.; BOERIU, I., inginer sef; ROSSIN, Eugen; BACANU, Maria, ing. sef; CALIN, Liviu, ing.

Advanced technology and increase of labor productivity. Probleme econ  
17 no.2:151-152 F '64.

1. Director, Fabrica Unirea, Iasi (for Crusos). 2. Fabrica Unirea, Iasi (for Boeriu). 3. Director, Intreprinderile pentru Industria de Bumbac, Bucuresti (for Rossin). 4. Director, Tesatoria Suveica, Bucuresti (for Bacanu). 5. Tesatoria Suveica, Bucuresti (for Calin).

ALTFATER, Zoltan; SOBODOS, Ana; BACANU, Maria, ing.; CALIN, Liviu.

Labor productivity in the light industry. Probleme econ 17 no.5:  
161-162 My '64.

1. Director, "Industria Textila Ardeleana" Enterprise, Satu Mare (for Altfater). 2. Chairman of the Trade-Union Committee, "Industria Textila Ardeleana" Enterprise, Satu Mare (for Sobodos). 3. Director, the "Suveica" Weaving Mill, Bucharest (for Bacanu). 4. Chief Engineer, the "Suveica" Weaving Mill, Bucharest (for Calin).

CALIN, L., ing.

Progress in agricultural constructions. Rev constr si mat constr  
16 no.9:445-450 S '64.

1. Head of Section, State Committee for Constructions, Architecture,  
and Town Planning.

CALIN, N.; BARBOI, M; COCIU, M.

The effect of simple and progressive wages on the unit cost of driving drifts  
in mines.

p. 45

Vol. 7, no. 1, Jan. 1956

REVISTA MINELOR

Bucuresti

SO: Monthly List of East European Accessions (EEAL), LC, Vol. 5, no. 12  
December 1956

COLIN. H. ✓  
~~SURNAME~~ (in caps); Given Names

Country: Rumania

Academic Degrees: Engineer

Affiliation: Director of the "Pavel Teacenco" State Farm (Directorul  
Gospodariei Agricole de Stat "Pavel Teacenco") , Paurei  
~~Source:~~ Raion, Galati Regiune.

~~xxxxx~~

Source: Bucharest, Probleme Zootehnice si Veterinare, No 7, Jul 61,  
pp 72-73.

Data: "Harvesting of Lucerne for Hay at the "Pavel Teacenco" State  
Farm."

SAVULESCU, Alice, acad.; ESANU, V.; CALIN, Neli; NEGULESCU, Florica; GROSSU, Maria; HURGHISIU, Ileana

Morphologic, anatomic, physiological, and biochemic characteristics of some species of potatoes with different degrees of resistance to *Phytophthora infestans* (Mont.) de Bary fungus attack. Studii cerc biol s. bot 17 no.1:71-84 '64.

1. Laboratory of Phytopathology and Microbiology, "Traian Savulescu" Institute of Biology. Submitted August 5, 1964.

CALIN, S.

Automatization of power production processes, p. 219. ENERGETICA. (Asociatia Stiintifica a Inginerilor si Technicienilor din Romania si Ministerului Energiei Electrice si Industriei Electrotehnice) Bucuresti. Vol. 4, no. 5, 1956.

SOURCE: East European Acquisitions List, (EEAL), Library of Congress, Vol. 5, No. 11, November, 1956.

R/002/61/000/009/001/012  
D015/D105

AUTHOR: Călin Sergiu, Engineer, University Assistant, Candidate of Technical Sciences

TITLE: The use of automation and cybernetics in communism

PERIODICAL: Știință și Tehnică no. 9, 1961, 3-4

TEXT: The article deals with the role of automation and cybernetics in industrial development. In the USSR an automatic automobile and tractor piston plant was put into operation in 1950. Other similar plants in the USSR are the No. 1 Ball Bearing Plant in Moscow, with a number of automatic sections; the Heavy Machine Plant in the Ural', where an automatic "1,300" blooming mill, with the control panel equipped with industrial TV, is under construction; the Siderurgical Plant in Krivoy Rog with a large open-hearth furnace controlled by 200 electronic devices; another large combine in Krivoy Rog where all enriching processes of ferruginous quartzite are mechanized or automated and observed by industrial TV; and the "2,500" Rolling Mill in Magnitogorsk weighing 30,000 t and controlled by 5 workers who co-ordinate the operation of 1,800 automatic mechanisms by industrial TV. The Tractor Plant in Stalingrad produces radio-

Card 1/2

R/002/61/000/009/001/012  
D015/D105

The use of automation and cybernetics in communism

controlled tractors equipped with "Ivan Loginov" automatic devices. The All-Union Institute of Nuclear Research in Dubna has been equipped with automatic and cybernetic devices for analyzing the results of nuclear research. Administrative office work in the USSR is also being automated by employing devices equipped with electronic computers. A continuous electronic computer for determining the most efficient methods of exploiting crude oil and gas deposits, an automatic system for controlling production processes and an automatic pneumatic regulator have also been developed in the Soviet Union. Major Yuriy Gagarin and Major German Titov owe their successful space flights to automation. Professor Boris Sotskov, corresponding member of the Academy of Sciences of the USSR, stated that automation makes progress in space flight possible. Reference is made to Khrushchev's statements on automation at the 21st Congress of the Communist Party of the Soviet Union. There are 3 figures.

Card 2/2

45747

8/194/62/000/012/015/101  
D201/D308

16.8850

AUTHOR: Călin, S.

TITLE: General synthesis of automatic control systems using logarithmic magnitude-frequency characteristics of open-loop systems

PERIODICAL: Referativnyy zhurnal, Avtomatika i radioelektronika, no. 12, 1962, 33-34, abstract 12-2-66 yu. (Bul. Inst. politehn. Bucuresti, v. 23, no. 2, 1961, 175-191 (Rum.; summaries in Rus., Eng., Fr. and Ger.))

TEXT: Instead of the known three-stage method of synthesis of an automatic control system (ACS) (determination of the transfer function of the closed-loop transfer function and of the ACS parameters), a method consisting of two stages is suggested for linear systems: the determination of the open-loop transfer function of the system and the design of components. The open-loop transfer function is determined from the log magnitude-frequency characteristic of the open-loop system. The magnitude characteristic of

Card 1/2

General synthesis of ...

S/194/62/000/012/015/101  
D201/D308

the open-loop system is determined from that of the closed-loop, the transition being made with simplified characteristics, taking into account main poles only instead of the complete expressions for transfer functions as in the usual method. A simple graphical method of determining the amplitude-frequency characteristic of the open-loop from that of the closed-loop system, is also given. An example of calculation is given. [Abstracter's note: Complete translation.]

Card 2/2

GALIN, S.

Approximate determining of transitory performances in the real characteristic of frequency. Probleme automatiz 4:25-36 '63.

CALIN, S., conf. ing.; IONESCU, V., ing.

Using the method of second order equivalent system for the  
optimum tuning of PI controllers. Automatica electronica 7  
no.6:261-269 N-D'63.

CALIN, Sergiu

Synthesis of series correcting circuits by using the method of the equivalent system of the 2d order. Bul Inst Politeh 25 no.4:107-121 JI-Ag '63.

1. Department of Automations, Bucharest Polytechnic Institute.

PENESCU, Cornel; CALIN, Sergiu; CHENZBRAUN, Iosub

Study on the possibility of utilizing the RD-11 relay in electric networks of Rumania. Bul Inst Politeh 26 no.1: 115-140 Ja-F '64.

1. Chair of Automation, Polytechnic Institute, Bucharest.

L 54480-55 EPT(c)/EPR/EPA(bb)-2/EWP(t)/EWP(b) Pr-4/Ps-4 BW/JD/DJ  
 ACCESSION NR: AP5017721 RI/0017/64/000/010/0451/0454

AUTHOR: Barozzi, D. (Engineer); Calin, V. (Engineer) 27  
B

TITLE: New method for the casting of bimetallic bearings with anti-frictional materials for Co Co 2100 HP-Type electric diesel

SOURCE: Metalurgia, no. 10, 1964, 451-454

TOPIC TAGS: ball bearing, metal casting, locomotive

ABSTRACT: The authors propose for adoption in Rumania the centrifugal casting of bimetallic bearings by means of heating in an electrolyte. They find that this method allows the rapid heating and cooling of the anti-frictional material and assures a good adhesion between this material and the steel. Orig. art. has 6 figures, 2 graphs and 3 tables.

ASSOCIATION: Atelierele de reparatii automotoare, Brasov (Motor Vehicles Repair Shops)

SUBMITTED: 00 ENCL: 00 SUB CODE: ME, IE

NO REF SDV: 000 OTHER: 000 JPRS

Card

20  
1/1

L 33723-66

ACC NR: AP6025159

SOURCE CODE: RU/0012/65/061/004/0611/0615

AUTHOR: Menaide, I. (Doctor; Colonel); Calin, V. (Major; Doctor); Calin, E. (Doctor);  
Ionescu, P. (Doctor; Lieutenant colonel)

ORG: none

TITLE: Considerations on sprains of the knee joint in military environments

SOURCE: Revista sanitara militara, v. 61, no. 4, 1965, 611-615

TOPIC TAGS: skeletal mechanics, injury, military medicine

ABSTRACT: The authors analyze the cases of sprained knees treated during the last 6 years at their hospital. They find that knee injuries represent a relatively high proportion of the total number of injuries treated, that early treatment is most effective, and that the Hey-Groves-Smith method of treating ruptures of crossed ligaments, which they tried in a small number of cases, gives good to excellent results. [JPRS: 33,500]

SUB CODE: 06/ SUBM DATE: 22Jan65/ ORIG REF: 005/ OTH REF: 002

LS

Card 1/1

CALIN VASILSCU, A.

Computing the quality and condition of gases in case of the supercharging of an internal combustion engine using an active turbine with exhaust gas. p. 195

STUDII SI CERCETARI DE ENERGETICA  
Bucuresti, Rumania  
Vol 9, no. 2, 1959

Monthly list of European Accession Index (EEAI) LC Vol. 8, No. 11  
November 1959  
Uncl.

FLORIAN, Petru, prof. (Dej); MARUSTERU, St., (Baia Mare); HERLING, C., student; PIRSAN, L.C., student (Bucuresti); IONESCU-TIU, C.; COSTACHESCU, C.V.; LAMBA, Stelian (Constanta); LIVIU, Petre (Pucioasa); STRATESCU, Ion, student; BRINZANESCU, V., elev (Constanta); KLIM, Bratu, student (Bucuresti); TEMPEANU, C. (Hunedorara); CALINESCU, Aurelian (Brasov); MUNTEANU, Valentin (Cluj); OPREA, Miron (Ploiesti); MIHAILEANU, N.; TIGANOIU, Al., inginer; Buicliu, Gh.; POPA, Eugen I. (Iasi)

Proposed problems. Gaz mat B 14 no.8:481-485 Ag '63.

1. Institutul Politehnic Bucuresti (for Herling).

STEIN, M., ing.; BADESCU, C., ing.; CALINESCU, C., arhitect

Considerations on the main diagrams and arrangement of  
electric installations ... industrial electric stations.  
Energetica Jan 12 'no.12:604-610 D '64.

DAVID, Vladimir M., ing.; STANESCU, Dumitru, A., ing.; BIMBEA, I., ing.  
CALINESCU, I., ing.; GHERGHEL, C., ing.; PAVEL, Gh., ing.;  
TAFLAN, M., ing.; BOSTAN, V., ing.; KABA, E., ing.

Manufacturing metallurgic coke from gas coal by the  
classic method. Metalurgia Rum 15 no.5:338-345 My '63.

CALINESCU, Maria

Some observations on the microrelief of the Comlod valley basin.  
Probleme geog 7:159-166 '60. (EEAI 10:3)  
(Transylvania--Geomorphology)

CALINESCU, Maria

Methods of studying slopes, applied to the plain of Transylvania.  
Probleme geog 8:183-190 '61.

MORARU, T.; CALINESCU, Maria; PLATAGEA, Gh.; POPA, Gh.; POSEA, Aurora

Contributions to the physiographic study of the Tirnava Mica  
Valley. Probleme geog 9:157-178 '62. (publ. '63)

1. Membru corespondent al Academiei R.P.R. (for Moraru).

CALINESCU, Maria

"Studies in Hungarian Geographical Science." Reviewed by Maria  
Calinescu. Probleme geog 9:364-366 '62. (publ. '63)

OPREANU, I., Prof.; CONSTANTINESCU, D., dr.; SDIC, L., dr.; CALINESCU, N.V., extern

Vegetative sciatica, an exceptional form of vertebral sciatica.  
Med. intern., Bucur. 11 no. 12: 1815-1817 '59.  
(SCIATICA)

CALINESCU, P.

CALINESCU, P. Prefabricated parts for roofs of industrial plants. p. 3.

Vol. 7 no. 305, Nov. 1955  
CONSTRUCTORUL  
Bucuresti, Rumania

So: Eastern European Accession Vol, 5 No. 4 April 1956

CALINESCU, P. ; STANESCU, N.

Using cellular concrete in constructions. p. 607.

REVISTA CONSTRUCTIILOR SI A MATERIALELOR DE CONSTRUCTII. (Asociatia Stiintifica a Inginerilor si Technicienilor din Rominia si Ministerul Constructiilor si al Marerualelor de Constructii) Bucuresti, Rumania. Vol. 10, no. 12, Dec. 1958.

Monthly List of East European Accessions (EEAI) LC, Vol. 8, no.6, June 1959

Uncl.

CALINESCU, P., STANESCU, N., DOBRESCU, C.

Corrosion of the mild steel reinforcement in cellular concrete. p. 361

REVISTA CALOR FERATE. (Caile Ferate Romine) Bucures<sup>t</sup>i, Rumania., Vol. 7, No. 7,  
July 1959

Monthly List of East European Accessiosn (EEAI) LC, Vol. 9, No. 2, Feb. 1960  
Uncl.

CALINESCU, P.

Foundation-soil vibrations.

REVISTA CONSTRUCTIILOR SI A MATERIALELOR DE CONSTRUCTII. (Asociatia Stiintifica a Inginerilor si Technicienilor din Rominia si Ministerul Constructiilor si al Materialelor de Constructii) Bucuresti, Rumania Vol. 11, no. 3, Mar. 1959

Monthly list of East European Accessions (EEAI) LC, Vol. 8, no. 9, Sept. 1959

Uncl.

CALINESCU, P., ing.

Conservation of reinforcement in autoclaved cellular  
concrete roof slabs. Bul cerc constr sistemat no.2:63-76  
'62.

1. Institutul de cercetari in constructii si economia  
constructiilor.

CALINESCU, R.

Additions to the study of "shibliac" shrubberies in Rumania. P. 76.  
(REVISTA PADURILOR. Vol. 71, no. 2. Feb. 1957. Rumania)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, no. 7, July 1957. Uncl.

Page 78

CALINESCU, R.

The geographical distribution of sciurines in Rumania and their role as evildoers in agriculture and silviculture. p. 207.  
(ANALELE. SERIA STIINTELOR NATURII. Rumania. Vol. 5, no. 10, 1956)

SO: Monthly List of East European Accessions (REAL) LC, Vol. 6, no. 7, July 1957, Uncl.

CALINESCU, Raul, prof. univ. (Bucuresti)

"Course of biogeography" by P. Birot. Reviewed by Raul Calinescu.  
Natura Geografie 14 no.2:86-87 Mr-Apr '62.

CALINESCU, Raul

"The content and tasks of biogeography" by A.G.Voronov, L. N.  
Sobolev. Reviewed by Raul Calinescu. Probleme geog 9:362-363  
'62. (publ. '63)

CALINESCU, Raul, prof. dr.

"The mammalia of Soviet Russia" by V.G. Gepner, N.P. Naumov. Vol.1.  
Reviewed by Raul Calinescu. Studii cerc biol anim 15 no.1:150-152  
'63.

RUMANIA / Microbiology. Human and Animal Pathogens. F  
Corynebacteria.

Abs Jour: Ref Zhur-Biol., No 2, 1959, 5630.

Author : Csiky, B.; Calinescu, V.

Inst : Not given.

Title : Study of Harmlessness and Effectiveness of  
Purified Diphtheria Toxoid Adsorbed on Aluminum  
Phosphate or Aluminum Hydroxide.

Orig Pub: Microbiol., parazitol. si epidemiol., 1957,  
2, No 6, 531-535.

Abstract: No abstract.

Card 1/1

64

Calinescu, V.

CALINESCU, V.

CALINESCU, V. New technique in the manufacture of metallic articles of mass consumption. p. 74.

Vol. 8, no. 2, Feb. 1956.  
METALURGIA SI CONSTRUCTIA DE MASINI.  
TECHNOLOGY  
ROMANIA

So: East European Accession, Vol. 6, No. 5, May 1957

CALINESCU, V.

Economy of metals achieved through rational planning. p. 7

TEHNICA NOUA, Bucuresti, Vol 3, No. 35, Feb., 1956

SO: East European Accessions List (EEAL) Library of Congress, Vol 5, No. 7, July, 1956

CALINESCU, Valentin, ing.

On the introduction of group technology for the mechanical processing at the Semanatoarea Plants. Metalurgia constr mas 14 no.1: 61-67 Ja '62.

1. Uzina "Semanatoarea," Bucuresti.

CALINESCU, Valentin, ing.; CANEA, Alexandru, ing.

Rationalization of internal transport in machine building plants. Metalurgia constr mas 14 no.6:534-545 Je '62.

1. Uzina Semanatoarea, Bucuresti.

CALINESCU, V., ing.

Two examples of the practical application of the instantaneous observation method at the Semanatoarea Works. Metalurgia si constr mas 15 no.3:259-263 Mr '63.

1. Uzinele Semanatoarea, Bucuresti.

CALINESCU, Valentin, ing.

Critical tracing method, a new method for planning and controlling the economical execution of achievement stages of the objectives of industrial activity. Constr mas 16 no.7:378-382 J1 '64.

167 AND 170 ORDER  
 PROCESSES AND PROPERTIES INDEX  
 167 AND 170 ORDER

BE

Depolarization of light which traverses sus-  
 pensions and colloids in relation to the radius  
 of the particles. N. CALINEGRO (Ann. Sci. Univ.  
 Jassy, 1935, 30, 222-229).—For dispersion of  $\text{Ca}(\text{VO}_3)_2$   
 and  $\text{H}_2\text{BO}_3$  in petrol and  $\text{V}_2\text{O}_5$  in  $\text{H}_2\text{O}$  the angle of  
 depolarization is  $\propto$  the radius of the particles,  
 the proportionality factor decreasing in the order  
 given. The min. radius at which depolarization  
 can be observed is  $<0.001 \mu$  for  $\text{CaCO}_3$  and  
 $\text{H}_2\text{BO}_3$ , and  $0.005 \mu$  for  $\text{V}_2\text{O}_5$ . R. S. B.

A-1

ASM-AIA METALLURGICAL LITERATURE CLASSIFICATION  
 167 AND 170 ORDER

CALINICENCO, NICOLAE

RUMANIA/Chemistry  
Salinity  
Marine Research

Jul/Dec 1946

"On the Correlations Between the pH, Salinity and Oxygen Concentration Values of the Black Sea," Virgilin G. Gheorghiu, Nicolae Calinicenco, 10 pp

"Bul Politchnicci 'Gh Asachi' din Iasi" Vol I, No 2

Electric conductivity, density, temperature, refractive index, salinity, oxygen concentration, pH and their interrelations were studied in 1935 - 1938 and found to be functions of position, time, depth, meteorological factors, etc. Present article treats only subject values. Statistical results give the correlation between salinity and pH as  $r = -0.44$ , between pH and oxygen concentration as  $r = +0.31$ , between salinity and oxygen concentration as  $r = 0.04$ , etc.

PA 21T21

*Ca*

Daily variations of the pH of the water of the Black Sea. Virginia G. Ghemghel and Nicolas Collovaescu. *Rev. Stiintific "V. Adamachi"* 23, 348-9 (1946).—The pH of water samples near Agigea was detd. during the period of Aug. 20-30, 1938. The salinity remained practically unchanged during this period. The pH value varied from 8.07 to 8.61. A daily cycle could be established, having its max. value at around 3-5 p.m., and its min. value at around 8-9 a.m. This is due to photo-synthesis by the algae, and it is more pronounced as one moves towards the shore because of the larger amt. of marine vegetation and the absence of a vertical current.

F. Kert-Fron

4

COMMON ELEMENTS

NATURAL ISOTOPES

EDGE DIVISION

ASH-PLA METALLURGICAL LITERATURE CLASSIFICATION

EDGE DIVISION

COLLECTION

RECORD NO. 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041

101 AND 102 (2/21/51) PROPERTIES AND PROPERTIES UNDER

2

The correlation between the pH and the salinity of water from the Black Sea. Virgiliu G. Gheorghiu and Nicolas Calistruco. *Compt. rend. acad. sci. Roumaine S. 86-9 (1958-1957)*; cf. C.A. 41, 5763a. --The correlation coeff. varies between -0.20 and -0.54 for the surface samples studied. H. R. Wirth

ASH-TLA METALLURGICAL LITERATURE CLASSIFICATION

FROM NOMINIV

SELECT ONE ONLY III

NO 11 22 33 44 55 66 77 88 99 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

CAZINIC 610 CO, N.

Distr: 4E2c

18  
✓ Electroerosion of several metals. N. Calinicenco, C. Rusciur, and Cornelia Clobanu. Bul. inst. politech. Iasi (N.S.), 3, 55-80 (1957); cf. C.A. 51, 11840h. — The erosion of 2 electrodes of Fe, Ni, Cu, Al, and Mg, caused by a spark discharge in air and in paraffin oil, was studied as a function of c.d. and of the capacity of a condenser mounted in parallel with the electrodes. The cathodic and anodic erosion per unit elec. energy decreased with increasing c.d. and was larger in oil than in air. The erosion increased with shunting capacity and was also larger in oil than in air; however, the rate of increase in oil became small at higher capacities. The total erosion per spark increased linearly with current for almost all the metals investigated; in air it was more pronounced for the more oxidizable metals, while the reverse was true in oil. An increase in the shunting capacity raised the total erosion per spark both in air and in oil. This increase was linear in most of the cases studied, and most pronounced in oil for the less oxidizable metals. The observed phenomena could not be readily interpreted, but are believed to be due to thermal processes.

S. A. Stern

5  
1- mjc/mm

17/

30  
1/1

*CALINICENCO, N.*

RUMANIA/Cosmochemistry, Geochemistry, Hydrochemistry.

D.

Abs Jour : Ref Zhur - Khimiya, No 14, 1958, 46329

Author : T.T. Vescan, N. Calinicenco

Inst : -

Title : Radioactive Springs in Rumania.

Orig Pub : Gaz. mat. si fiz., 1957, A9, No 9, 473-475

Abstract : A brief review of work of Rumanian scientists in the field of the study of radioactive springs is presented. A characterization of radioactive springs in Rumanian health resorts Beyle - Bruklane, Syndzhorz - Bay, Dzhoadzhiu, Valya - Vinuluy, Borsek and others is given.

Card 1/1

af

CALINICENCO, N.; NICHITA, O.; VISCRIAN, I.; TIBU, Margareta; ANTONESCU, V.

Contributions to the study and measurement of the radioactivity  
of certain rocks. Studii fiz tehn Iasi 10 no.1:67-72 '59 (REAI 9:3)

1. Filiala Iasi a Academiei Republicii Populare Romine.  
(Rocks) (Radioactive substances)

S/169/62/000/012/032/095  
D228/D307

AUTHORS: Antonescu, V., Calinicenco, N., Nechita, O., Onu, C.,  
Rusu, Gh. Ilie, Tomozei, Cl., Tibu, M., Vescan, T.T.  
and Viscrian, I.

TITLE: Investigation of the radioactivity of some rocks  
around the mines of Rodna Veche-Valea Vinului

PERIODICAL: Referativnyy zhurnal, Geofizika, no. 12, 1962, 46-47,  
abstract 12378 (Studii și cercetări științ. Acad.  
RPR Fil. Iași, Fiz. și științe tehn., 12, no. 1,  
1961, 31-33 (Rum.; summaries in Rus. and Eng.))

TEXT: The authors investigated the radioactivity of chlor-  
ite-schist, andesite, and sericite-schist samples from the area of  
the old mines of Rodna Veche-Valea Vinului in the Rodna Massif  
(Rumanian People's Republic). The results of measuring the radio-  
activity of samples show that the ratio of the number of readings  
per second in the presence of 1 mm Al to the number of readings  
without Al varies from 0.1 to 0.30 when the activity ranges from

Card 1/2

Investigation of the radioactivity ...

S/169/62/000/012/032/095  
D228/D307

0.16 to 0.91  $\mu$ c. The analytical data for these rocks coincide with the data pertaining to rocks from the Baia Borca area.

[Abstracter's note: Complete translation]

Card 2/2

CALINICENCO, Nicolae, prof.; VISCRIAN, I.

Modern methods in measuring the terrestrial magnetic field. Studii  
fiz tehn Iasi 13 no.1:51-64 '62.

1. Membru al Comitetului de redactie, "Studii si cercetari stiintifice,  
Fizica si stiinte tehnice" -Filiala Iasi- (for Calinicenco).

GALINICENCO, N.; VISCRIAN, I.; LOZNEANU, E.

Radiometric method of determination of potassium in rocks. Studii  
fiz tehn Iasi 13 no.2:189-193 '62.

CALINICENCO, N., prof. univ.

Three hundred years, 1662-1962, since the death of Blaise  
Pascal. St si Teh Buc 14 no. 8:18 Ag '62.

CALINICENCO, N.; FLORESCU, C.; MOLDOVANU, A.; PETRESCU, N.; SUCIU, E.

Research on terrestrial magnetism in the Ceahlau Massif zone  
in 1963. Studii fiz tehn Iasi 14 no.2:349-355 '63.

VASILIU, Ch.; CALINICENCO, N.; ONU, C.

Magnetometer with a saturation proof stick. Studii fiz tehn  
Iasi 14 no.341-348 '63.

CALINICENCO, N.; COZMITA, D.; MUSTAFA, V.

Magnetic susceptibility of some rocks and soils in Moldavia.  
Studii fiz tehn Iasi 14 no.2:357-361 '63.

CALINICENCO, M.; REZLESCU, N.; VISCRIAN, I.

Determining the diurnal variation of the terrestrial  
magnetism of the vertical Z ~~composition~~ at Iasi. Studii  
fiz tehn Iasi 14 no.2:363-367 03.

J. J. van + steel steel .  
1170 Jan 1954  
Foundry Practice  
CALINSKI, T.

Ind E  
Met  
1

①  
2

Cutting Tools Cast by the Lost-Wax Method. T. Calinski.  
(Przegląd Odlewnictwa, 1953, 3, (6), 184-188). [in Polish].  
The production of cast cutting tools by the lost-wax process  
is outlined. The possibilities of further developments in preci-  
sion casting are discussed.—v. a.

CALINSKI, T.

"Casting Cutting Tools by the Method of Melting Forms", P. 319, (TECHNIKA  
MOTORYZACYJNA, Vol. 4, No. 11, November 1954, Warsaw, Poland)

SO: Monthly List of East European Accessions (EEAL), LC, Vol. 4, No. 3,  
March 1955, Uncl.

PRUSINKIEWICZ, Zbigniew; CALINSKI, Tadeusz

Studies on the possibility of classifying soils on the basis of  
multivariant Wroclaw taxonomy. Prace nauk roln i lesn 16 no.3:  
3-18 '63.

1. Department of Soil Science and Institute of Agricultural  
Experimentation and Biometry of the School of Agriculture,  
Poznan.

BUFNEA, Teodor; RADU, Eugenia; MAISNER, Viorica, statisticiana; GALIS,  
Reghina; MIERLESCU, C.

From the letters of voluntary newspaper correspondents.  
Constr Buc 16 no. 737:4 22 P'64.

CHIRULESCU, M., ing.; PLOSTINARU, D.; LARGU, Gh., corespondent; CALIS, Reghina, corespondenta; BARBALATA, St.

News. Constr Buc 16 no.775:1 14 N '64.

1. Head of Construction Site No.601, Tirgu Jiu (for Chirulescu).
2. Galati Branch of the Voluntary Editorial Office of "Constructorul" (for Barbalata).

CALISTA, A.

Methods of controlling the mass production of clock gears. p. 247

METROLOGIA APLICATA. (Directia Generala de Metrologie de pe linga  
Consiliul de Ministri) Bucuresti, Rumania. Vol. 5, no. 6, Nov./Dec.  
1958

Monthly list of East European Accessions (EEAI) LC Vol 8, No. 6, June 1959  
Uncl.

Country : RUMANIA  
Category : Cultivated Plants. Cereals. Leguminous Plants.  
Tropical Cereals. M

Abs Jour : RZhBiol., N<sub>o</sub> 6, 1959, No 24853

Author : Calistene, I.

Inst : -

Title : Realization of Corn Irrigation.

Orig Pub : Rev. gospod. agric. stat., 1958, No. 5, 6-9,  
37-40

Abstract : No abstract.

Card : 1/1

CALISTRU, C.

RUMANIA/Chemistry - Energy  
Chemistry - Systems

Jul/Dec 1946

"New Theory on the Origin of the Energy in a Chemical System, Part II," I. Ciocina,  
C. Calistru, 7 pp

"Bul Politehnicii 'Gh Asachi din Iasi" Vol I, No 2

Article discusses the electro-kinetic energy in electrolysis (movement of electrical particles such as electrons, ions, hydrate ions, electrically-charged drops or corpuscles, etc.), and derives formulas related to Gibbs; and Helmholtz' on electrical energy in solutions.

PA 21T20

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |  |  |  |  |  |  |  |  |  |  |  |                            |  |  |  |  |  |  |  |  |  |  |  |  |                     |  |  |  |  |  |  |  |  |  |  |  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|----------------------------|--|--|--|--|--|--|--|--|--|--|--|--|---------------------|--|--|--|--|--|--|--|--|--|--|--|--|
| 17 AND 180 (500P)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |  |  |  | PROCESS AND PROPERTY INDEX |  |  |  |  |  |  |  |  |  |  |  |  | MID AND ATM. CRACKS |  |  |  |  |  |  |  |  |  |  |  |  |
| CALISTRU, C.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |  |  |  |  |  |  |  |  |  |  |  |                            |  |  |  |  |  |  |  |  |  |  |  |  |                     |  |  |  |  |  |  |  |  |  |  |  |  |
| 4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |  |  |  |                            |  |  |  |  |  |  |  |  |  |  |  |  |                     |  |  |  |  |  |  |  |  |  |  |  |  |
| <p>A new alternating-current method of preparing baths for copper and brass plating by immersion. C. Calistru. <i>Sulit. Acle polych. Jassy 2, 495-7(1947)</i>.—Cu electrodes were dissolved in aq. KCN soln. ranging in concn. from 0.25% to satn. by passing 60-cycle a.c. for <math>\frac{1}{4}</math> to 8 hrs. at a c.d. of about 7 amp./sq. dm. and terminal voltage of 0.</p> <p>The resulting soln. when heated to 90° or higher is excellent for the Cu plating by direct immersion of objects of iron, steel, zinc, etc., connected to strips of Al. The Cu deposits are adherent and bright. Brass plating can be similarly accomplished by using a Zn electrode instead of one of the Cu electrodes, or with a Cu bath which has been used for Cu plating on Zn. C. F. Bonilla</p> |  |  |  |  |  |  |  |  |  |  |  |  |                            |  |  |  |  |  |  |  |  |  |  |  |  |                     |  |  |  |  |  |  |  |  |  |  |  |  |
| A.S.M.-S.L.A. METALLURGICAL LITERATURE CLASSIFICATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |  |  |  |  |  |  |  |  |  |  |  |                            |  |  |  |  |  |  |  |  |  |  |  |  |                     |  |  |  |  |  |  |  |  |  |  |  |  |
| SECOND STATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |  |  |  |  |  |  |  |  | FIRST STATION              |  |  |  |  |  |  |  |  |  |  |  |  |                     |  |  |  |  |  |  |  |  |  |  |  |  |
| # OCCURS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |  |  |  |  |  |  |  |  |  | # OCCURS                   |  |  |  |  |  |  |  |  |  |  |  |  | # OCCURS            |  |  |  |  |  |  |  |  |  |  |  |  |

CA/IS/RU - C,

2 Kinetic decomposition of sodium amalgam in solutions of sodium hydroxide. Const. Calistru, Aurel Popovici, Cornelia Leonte, and ~~Marcel Hergheanu~~, Acad. rep. populare Romine (Iasi), Studii cercetari chim. 5, No. 1/2, 197-213(1954).—The av. speed of decompn. of Na amalgam was variable, but it occurred unexpectedly during degradation. This phenomenon was observed during the decompn. of amalgam by H<sub>2</sub>O or dild. and coned. solns. of NaOH at 25-50° in a cell-insol. electrode [NaOH soln.] amalgam, (short-circuit caused by the container as in the decompn. of the same unit in direct short-circuit, where the insol. electrode was placed in the amalgam). The variation was graphically traced as a function of time-amalgam [NaOH soln.] insol. electrode (at short-circuit) with ammeter. The decompn. speed could be promoted generally, if in some cases, the existence of a period was considered when the amalgam preponderantly decompd. at the fastest rate, independent of the insol. electrode. The factors which promoted the H overvoltage decreased at the insol. electrode and facilitated the decompn. speed during the most active period of the process. On the base of the modification periods of decompn. speed, amalgam and NaOH soln. circulation could be concurrent or countercurrent. After the abrupt decrease in the decompn. speed, the Na sediment could be linked to the amalgam layer, thereby decreasing its initial thickness which, in turn, generally could shorten the final decompn. time. SiC and graphite were used as insol. electrodes. A partial or total substitution of the graphite by silicon carbide increased the decompn. speed of the amalgam, but in case of substitution, the time variations in the speed of decompn. had to be considered as well as the thickness of the amalgam layer. T. Z. Donesy

3

6

PM